

Editorial Contact:
Cortec® Advertising Agency:

Shannon Garrow
(651) 429-1100 Ext. 128

sgarrow@cortecvci.com

Company Contact:
Cortec® Corporation

Kären Brasile
(651) 429-1100 Ext. 152

kbrasile@cortecvci.com

Technical Contact:
Cortec® Corporation

Ron Camp
(651) 429-1100 Ext. 146

rcamp@cortecvci.com



Attention: Editor

April 24, 2014

PRODUCT RELEASE



Cortec® Introduces CorShield™ VpCI®-386 HP powered by Nano-VpCI®: The Next Generation Of High Performance Coatings!

Water-borne Anticorrosion Coatings have gone through many stages of evolution and improvements in recent years. More stringent environmental standards are pushing the creation of water-borne coatings for corrosion protection forward. Recent innovations from Cortec® Corporation's Laboratory enable us to offer new, novel coatings for multi metal protection. This next generation of high performance water-



based acrylic coatings has improved barrier performance and enhanced stability, which

provides superior corrosion defense in harsh outdoor, unsheltered applications. CorShield™ VpCI®-386 HP's unique Nano-VpCI® formulation contains a mixture of non-toxic organic inhibitors and pigments that offer extended coating protection, which strongly competes with heavy metal zinc-rich primers and paints. Cortec's special combination of additives provides a nanoparticle composite polymer barrier that significantly retards the reaction of metal ionization by ion scavenging and passivation.



Economical, environmental-friendly, and easy to handle CorShield™ VpCI®-386 HP is much more effective than most conventional coatings because the corrosion resistance has been improved by replacing traditionally used toxic materials with more effective, non-toxic, heavy metal free corrosion

inhibitors. This safer to use composition eliminates worker exposure to organic solvents and of fire hazards in confined areas. CorShield™ VpCI®-386 HP provides a fast-drying primer/topcoat film that forms a tough, non-flammable, protective barrier that was developed to protect in both indoor and outdoor conditions. It bonds to metal surfaces, defending against corrosive electrolytes and aggressive environments.

CorShield™ VpCI®-386 HP is recommended for a variety of applications especially where the uses of toxic materials are of concern. The product is thermally stable when dried from -150°F-350°F (-78°C-180°C) and is UV (ultraviolet) resistant giving optimal outdoor performance without cracking or chipping upon prolonged exposure to sunlight. VpCI®-386 HP can be used as a topcoat/primer or used as a topcoat with Cortec® VpCI®-374 as a primer. VpCI®-386 HP can be applied by spray, roll, brush, or dip. It dries to touch in 40 minutes at 77°F (25°C) and is fully cured in 7 days at 77°F (25°C). It is available in 5-

gallon (19 liter) pails, 55-gallon (208 liter) metal drums, liquid totes, and bulk. Available colors are White, Grey, and Yellow.

FEATURES

- Fast-drying, non-flammable
- UV resistant when dried
- Forms non-flammable, protective barrier
- Optimal outdoor performance
- Clear coating allows visual inspection of metal substrate coatings

TEST DATA [at 2 mils (50 microns)] DFT*

Test Method	SAE 1010 Carbon Steel	Aluminum
Salt Spray (ASTM B117)	500+hours	1000+hours
Humidity (ASTM D1748)	1000+hours	1000+hours
QUV (ASTM G 53)	1000+hours	1000+hours

*Dry Film Thickness

Need a High-Resolution Photo? Please Visit: www.cortecadvertising.com

Cortec® Corporation is the global leader in innovative, environmentally responsible VpCI® and MCI® corrosion control technologies for Packaging, Metalworking, Construction, Electronics, Water Treatment, Oil & Gas, and other industries. Our relentless dedication to sustainability, quality, service, and support is unmatched in the industry. Headquartered in St. Paul, Minnesota, Cortec® manufactures over 400 products distributed worldwide. ISO 9001, ISO 14001:2004, & ISO 17025 Certified.

Cortec Website: <http://www.cortecvci.com> Phone: 1-800-426-7832 FAX: (651) 429-1122