

POLLUTIONS[®] EQUIPMENTnews

June/July 2016

ISSUE FEATURES

Air Emission Reduction
Arsenic Testing/Removal
Bioremediation
Biosolids/Sludge Treatment
Continuous Emissions Monitoring
Dataloggers
Pumps

Water • Wastewater • Air • Hazardous Waste

PROVIDING ENVIRONMENTAL SOLUTIONS SINCE 1968

4-Channel Gas Detector Controller with Logic Control

The QCC Quad Channel Controller can be configured to communicate with your choice of up to four analog or digital gas detectors for monitoring toxic, combustible and/or refrigerant gases. Offering an extensive menu system, priority logic control, a door mounted audible alarm, LCD display and three SPDT relays, it can be ordered with value added options such as a top mounted strobe, manual shutoff switch (meets 852 code requirements), two analog outputs for VFD control with data logging and a BACnet output signal for communicating with a Building Automation System.

— Critical Environment Technologies Canada Inc., 877/940-8741, www.critical-environment.com



Circle 1 on Card or <http://pen.hotims.com/64204-1>

Molded In Full Drain Outlet

The company's Full Drain Outlet (FDO) assembly for 2500 gallon and larger tanks, drains tanks without mechanically installed nozzles. Linear polyethylene tanks are certified to NSF/ANSI Standard 61 and high-density crosslink resin tanks for chemical storage. ISO 9001:2008 Certified.

— Assmann Corporation of America, 888/357-3181, www.assmann-usa.com/FDO_Modular_Stand.html



Circle 2 on Card or <http://pen.hotims.com/64204-2>

Sampler for BioSolids/Sludge

To address continued concern for the best sampling applications, Blackburn Sampling designed the Semi-Solid Sampler. This sampler is a powerful tool that will extract semi-solid and solid waste or dirt. It has a cap on the bottom to hold the sample for short transport or to transfer to a container. It is an tool for property evaluation and can be used in food processing applications. The sampler works like a large syringe. It takes representative samples of hazardous wastes, liquids and slurry-type sludges. The sampler can take samples from top to bottom of buckets, barrels, tanks or tankers. They are also useful for Q.A. and processing sampling.

— Blackburn Sampling, 800/823-6762, www.blackburnsi.com

Circle 3 on Card or <http://pen.hotims.com/64204-3>



Corrosion Inhibitor

Cortec® MCI® Peel-off Coating is a corrosion inhibiting, modified water-based acrylic peelable coating powered by Migrating Corrosion Inhibitors (MCI®) technology. It provides mechanical protection against nicks, abrasion, scratches, and over-spray. It can be used to protect non-porous walls, ceilings, floors, windows, and light fixtures. MCI® Peel-off Coating conforms to NACE Standard RP 0487-2000, ASTM-2196, and is VOC and RoHS compliant.

— Cortec® Corporation, 651/429-1100
www.cortecvci.com

Circle 4 on Card or <http://pen.hotims.com/642041-4>



Paddle Type Aerator Attachment

Brown Bear Corporation builds equipment for large and small operations starting with skid steel attachments through large self propelled 350 HP machines for mixing and aeration of waste products. The Equipment can be used to blend biosolids or septic waste with carbonaceous materials for window composting and to make the subsequent required aeration passes through the mixed materials.

— Brown Bear, 641/316-9433,
www.brownbearcorp.com

Circle 5 on Card or <http://pen.hotims.com/642041-5>



RIMBACH
PUBLISHING COMPANY

www.pollutionequipment.com • 800/245-3182