

ATION
USA
FILM
INHIBITOR-PATENT
INHIBITOR



HIGH PERFORMANCE VpCI® PACKAGING

EcoShield® VpCI®-226, Patented High Technology Vapor phase Corrosion Inhibiting Films and Bags Multi-Metal VpCI® Systems



PRODUCT DESCRIPTION

combine the latest film technology with the most effective corrosion protection for all of your metal products. Sealing your product in Cortec films protects metal parts from all types of corrosion including rust, tarnish, stains, white rust, and oxidation for up to 5 years.* It's as easy as putting your product in a Cortec package!

Films and Bags replace conventional rust preventatives such as oils and desiccants. You save even more because VpCI packaging eliminates all the degreasing or coating removal required in the past. Now your product can be used immediately. EcoShield -226 is transparent, making it easy to identify parts. Additionally, it does not contain phosphates, or nitrite inhibitors, and is nontoxic and recyclable.

Cortec's specialized formula ensures that EcoShield Film and Bags are 100% nitrite free. Your mind can be put at ease as you handle a film that contains no trace of nitrite yet effectively protects your packaged parts from corrosion, rust, and tarnish.

EcoShield -226 Series Films and Bags protect metal objects as small as a needle to as large as the contents of an oceangoing container. EcoShield -226 can be manufactured utilizing a wide array of the most advanced resins. Custom blends are available to give you the exact properties

you need, whether it's improved puncture resistance, tear strength, or other requirements.

FEATURES

Metal parts packaged in EcoShield -226 receive continuous protection against salt, excessive humidity, condensation, moisture, aggressive industrial atmospheres, and dissimilar metal corrosion. VpCIs in the film vaporize and condense on metal surfaces in the enclosed package. VpCIs reach every area of your part, protecting its exterior as well as hard-to-reach interior surfaces. EcoShield -226 provides complete product protection during storage as well as during domestic and overseas shipments, virtually eliminating any rust claims.

BENEFITS

The EcoShield -226 Series provides the highest level of corrosion protection demonstrated by standard and internal corrosion test methods. For further testing information, please contact our Technical Support.

Cortec's VpCI Film is the only film available today that offers a balanced combination of vapor phase and contact corrosion protection combined with high-tech resin and extrusion technology.

APPLICATION

EcoShield -226 is heat sealable and can be used with all types of manual or automated heat-seal packaging equipment.

METALS PROTECTED

Aluminum
Galvanized Steel

Brass



TYPICAL PROPERTIES

Property	Test Method	Units	2.4	4.0	6.0
	ASTM D6988		2.6	4.2 (107)	6.2 (159)
Breaking	ASTM D882-02	lbs/in (kN=M)	10.7 (1.9)	18.9 (3.3)	28.5 (5)
			9.7 (1.7)	17.4 (3.0)	29.9 (5.2)
Strength at Break	ASTM D882-02	psi (mPa)	4339 (29.9)	4592 (31.7)	4461 (30.8)
			3890 (26.8)	4258 (29.4)	4651 (32.0)
Elongation at Break	ASTM D882-02	%	681	814	936
			728	827	1000
Yield Strength	ASTM D882-02	psi (mPa)	1643 (11)	1691 (11.7)	1706 (11.8)
			1641 (11)	1725 (11.7)	1768 (12.2)
Strength	ASTM D1922-06A	gram force (mN)	710	1037	1421
			781	2035	1587
Resistance	ASTM D1709-04, Test Method A	grams	283	501	678

The material is available in a variety of gauges ranging from 2 to 6 mils (50-150 microns) and widths from 3" to 32' (7.6 cm - 9.7 m).

To ensure best product performance, store in original packaging, indoors and out of direct sunlight at 40-100 °F (4-38 °C).

Shelf life: 2 years

PACKAGING AND STORAGE

EcoShield -226 Film is available in a variety of standard and customized forms including bags, sheeting-reinforced film, top-seal, and Auto-Bags, gusseted liners, bags-on-a roll, perforated sheeting, coil covers, shrink film, and tubing to protect small or large parts. Antistatic (ESD) varieties are available as well as coextruded constructions. Opaque formulations are also available

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN
KEEP CONTAINER TIGHTLY CLOSED
NOT FOR INTERNAL CONSUMPTION

LIMITED WARRANTY

All statements, technical information and recommendations contained herein are based on tests Cortec tion believes to be reliable, but the accuracy or completeness thereof is not guaranteed.

Corporation warrants Cortec products will be free from defects when shipped to customer. Cortec Corporation's obligation under this warranty shall be limited to replacement of product that proves to be defective. To obtain replacement product under this warranty, the customer must notify Cortec claimed defect within six months after shipment of product to customer. All freight charges for replacement products shall be paid by customer.

Corporation shall have no liability for any injury, loss or damage arising out of the use of or the inability to use the products.

BEFORE USING, USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR ITS INTENDED USE, AND USER ASSUMES ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH. No representation or recommendation not contained herein shall have any force or effect unless in a written document signed by an officer of Cortec Corporation.

THE FOREGOING WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. IN NO CASE SHALL CORTEC CORPORATION BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES.



CORTEC
CORPORATION

Environmentally Safe VpCl®/MCI® Technologies

4119 White Bear Parkway, St. Paul, MN 55110 USA

Phone (651) 429-1100, Fax (651) 429-1122

<https://www.cortecvci.com>

<https://www.cortecpackaging.com>

Printed on recycled paper  100% post consumer

Revised: 08/31/20. Supersedes: 09/16/19. ©Cortec Corporation 2002-2020 of Cortec Corporation. All Rights Reserved. Copying and/or manipulation of these materials in any form without the written authorization of Cortec Corporation is strictly prohibited. 2020, ©Cortec Corp. ISO accreditation applies to Cortec's processes only.

Distributed by: