

Canadian Food

Agence canadienne Inspection Agency d'Inspection des allments

3851 Fallowfleld Road Ottawa, Ontario, Canada K2H 8P9

Tel: (613) 228-6698

17 September 2003

File #C436

Rita Kharshan, Ph.D. Lab. Director Cortec Corporation 4119 White Bear Parkway St. Paul. MN 55110 U.S.A.

RE:

C436 Cortec Corporation

St. Paul, MN 55110, U.S.A.

17/09/03

VpCI-101 Foam Device рЗ

This is in reference to your tetter dated September 3, 2003, concerning the aforementioned nonventilated corrosion Inhibitor for which you have requested acceptance for use in federally registered food establishments.

Based on the present available information, no objection will be taken to the chemical composition of the non-ventilated corrosion inhibitor for control boxes, cabinets or tool boxes In food plants; with the understanding that the corrosion inhibitor will not come in contact with food products during its use and all precautions are to be taken to avoid food contamination during use and storage.

This acceptance is not to be misconstrued as an endorsement for this or similar corrosion inhibitors, and their use in Registered Establishments will depend upon their continued acceptability to all concerned.

Should any changes occur in the chemical formulation of the aforementioned corrosion inhibitors, then this acceptance will be considered NULL and VOID.

Yourstruly.

Technical Program Officer

Non-Food Chemicals & Container Integrity

Food Safety Risk Analysis Unit

Food Safety Directorate

JJD/sb

Visit our Reference Listing Website/Visitez notre liste de référence sur le site internet http://www.inspection.gc.ca/english/ppc/reference/cone.shtml http://www.inspection.gc.ca/francals/ppc/reference/conf.shtml

