

Editorial Contact:
Cortec® Advertising Agency:

Jeni Duddeck
(651) 429-1100 Ext. 1114

jduddeck@cortecvci.com

Company Contact:
Bionetix® International

Tonya Decterov
(514) 457-2914 Ext. 6589

tdecterov@bionetix.ca



Attention: Editor

October 26, 2021

PRESS RELEASE



Reduce Grease Trap Buildup, Odors, and Fines with ECO-TRAP™

Restaurants, cafeterias, and other food-processing facilities often face grease trap maintenance challenges. Too much fat buildup can lead to bad smells, clogged drains, and even fines for exceeding acceptable BOD or FOG (fat, oil, grease) discharge levels. Bionetix® International offers a biological solution for keeping the fat in check and grease traps under control with ECO-TRAP™.



ECO-TRAP™ is a grease trap treatment containing specialty additives that loosen and liquefy heavy grease deposits, thereby speeding up their degradation. ECO-TRAP™ reduces oil and fat accumulation, prevents emergency blockages, and reduces BOD and bad odors. ECO-TRAP™ contains biological nutrients and stimulants that boost the natural bacterial population to form a larger colony. The more beneficial bacteria are present, the more power is available to break down the fats, oils, and greases filling up the grease trap.

Keeping grease trap contents under control helps facilities avoid a variety of nuisances:

- Mechanical Problems: Scum buildup is reduced, pipe drainage is improved, and emergency blockages or grease trap overflows are avoided.
- Compliance Problems: Facilities having trouble meeting BOD or FOG requirements in their waste discharge can bring these down to an acceptable level to avoid fines and fees.
- Odor Problems: Reducing the amount of fat in the grease trap can get rid of bad odors that are offensive to workers and customers.

ECO-TRAP™ comes in three different forms to meet the user's preference. ECO-TRAP™ L is a liquid version that is typically users' number one choice because of automatic metering. It can be added manually to the grease trap, but it is often injected automatically with the aid of a pump like those used for restaurant dishwashers. This cuts down on the manual labor of daily application. If



manual labor is not a concern, users can apply ECO-TRAP™ P, a powder version packaged in water-soluble packets that can be added directly to the grease trap in just a few minutes at the end of the day. Still, some users prefer the ECO-TRAP™ BLOC, which contains biological nutrients and stimulants in a slow-release bloc form that can be added directly to a less turbulent (but not dead) area of the grease trap for extended treatment.



There are a variety of potential users that stand to benefit from ECO-TRAP™. Restaurants and food courts are especially good candidates, as are food processing factories. One excellent example of solving fat and grease buildup problems comes from a fish canning factory that operated 24/7. Their grease trap was so overloaded that the water was completely obscured with a layer of fat. The

severity of the problem may have been due to the use of seawater in factory processes slowing the digestion of fats due to high chloride content. In spite of this, just two months after applying ECO-TRAP™ in conjunction with BCP22™ (a similar, extra strength treatment for FOG), the water

surface had cleared up by 70%, leaving only 30% covered by a fat layer. In another case, a starch factory was able to dramatically reduce TSS and BOD5 levels in just two weeks by adding ECO-TRAP™ and BCP22™ to the drain.

Name	Unit of Measure	Acceptable Limits	Before Treatment (July 13 th , 2016)	After Treatment (July 27 th , 2016)
TSS	mg/L	249.00	2,440.00	840.00
BOD5	mg/L	205.00	4,900.00	575.00
COD	mg/L	N/A	10,800.00	1,400.00

Grease traps can be a catch-all for many fat-related problems. Regular use of ECO-TRAP™ helps dissipate these problems so restaurants and food courts can focus on delivering nourishment to people instead of chasing drain clogging and odor problems. Contact Bionetix® today to design an ECO-TRAP™ solution:

<https://www.bionetix-international.com/contact-us/>

To learn more about ECO-TRAP™, please visit:

<https://www.bionetix-international.com/products/eco-trap/>.



Keywords: Bionetix, bioaugmentation, FOG, BOD, TSS, COD, wastewater treatment, shock loading, grease trap cleaning, grease trap maintenance, grease trap overflow, grease traps, dairy waste management, industrial wastewater, fish cannery waste management, fish canning factory, meat processing, food industry, restaurant maintenance, plant upsets, fats oils and grease



Need a High-Resolution Photo? Please Visit: www.cortecadvertising.com

Bionetix® International is a Canadian-based company that produces biological products used in thousands of field applications worldwide. We promote a healthy environment by providing superior, environmentally friendly alternatives to current treatment methods. Our customers are able to clean and remediate contaminated systems or boost agricultural productivity in a cost-effective, natural, and non-intrusive way through the application of our biological products. Headquartered in Quebec, Canada; Bionetix International is a subsidiary of Cortec® Corporation. ISO 9001:2015 Certified.

Cortec® Corporation is the global leader in innovative, environmentally responsible VpCI® and MCI® corrosion control technologies for Packaging, Metalworking, Construction, Electronics, Water Treatment, Oil & Gas, and other industries. Our relentless dedication to sustainability, quality, service, and support is unmatched in the industry. Headquartered in St. Paul, Minnesota, Cortec® manufactures over 400 products distributed worldwide. ISO 9001, ISO 14001:2004, & ISO 17025 Certified. Cortec Website: <http://www.cortecvci.com> Phone: 1-800-426-7832 FAX: (651) 429-1122