

Editorial Contact:  
Cortec® Advertising Agency:

Shannon Garrow  
(651) 429-1100 Ext. 1128

[sgarrow@cortecvci.com](mailto:sgarrow@cortecvci.com)

Company Contact:  
Cortec® Corporation

Jay Zhang  
(651) 429-1100 Ext. 1150

[jzhang@cortecvci.com](mailto:jzhang@cortecvci.com)

Technical Contact:  
Cortec® Corporation

John Wulterkens  
(651) 429-1100 Ext. 1130

[jwulterkens@cortecvci.com](mailto:jwulterkens@cortecvci.com)



**Attention: Editor**  
**November 20, 2017**  
**PRODUCT RELEASE**



## Cortec® Introduces EcoShield® Super Barrier Paper and Linerboard: An Environmentally Friendly Replacement for Polycoated and Waxed Papers!

Moisture is a major threat to raw materials and finished goods of all kinds—particularly those made of metal and prone to rust and corrosion. Greases and oils sometimes used as lubricants or rust preventatives on metal components add another problem by threatening to leak through packaging and contaminate surrounding areas. Waxed or polycoated papers are traditional moisture-resistant packaging options for problems like these. However, such coated papers pose an



environmental problem because they are not recyclable and repulpable. Even if recycled back into the pulp and paper stream, they would first have to go through a costly process of separating the paper base from the coating.



To avoid this environmental problem, Cortec® Corporation has developed an environmentally acceptable replacement to unrecyclable polycoated and waxed papers. Cortec's new high gloss EcoShield® Super Barrier Paper and Linerboard relies on a water-based moisture barrier coating for moisture resistance. The technology makes the paper fully recyclable and repulpable without requiring costly processes to remove the coating

from the paper. In addition to recyclability, Cortec's EcoShield® Super Barrier Paper and Linerboard demonstrated better water vapor barrier properties than polycoated paper and waxed paper during testing.

To evaluate the moisture resistance of EcoShield® Super Barrier and Linerboard, the barrier paper was tested against a comparable polyethylene coated paper and a commercial waxed paper according to ASTM E-96 at 73°F (23°C) and 50% relative humidity. The EcoShield® Super Barrier Paper and Linerboard showed a water vapor transfer rate of 0.32-0.37 grams per hour on a square meter of paper. A polycoated paper in the same test allowed slightly more water vapor to pass through in the same time frame, at the higher rate of 0.47-0.71 grams per hour. The waxed paper was much less resistant to water vapor, allowing it to transfer at a rate of 6.5-6.9 grams per hour on the same size of paper. Though it is not intended for applications involving constant water contact, the shiny side of EcoShield® Super Barrier Paper and Linerboard also has the ability to repel liquid water. Its TAPPI T-441 Cobb Water Absorption rate is less than 0.3 grams of water per square meter in 2 minutes.

EcoShield® Super Barrier Paper and Linerboard also has excellent oil and grease resistance. It registers a high kit test value of 12, representing the highest amount of an aggressive liquid solution to remain on the paper surface without causing the paper to fail. The high gloss paper





not only protects against the ingress of moisture or grease into a package, but it also protects against the leaching of oil and grease out of a package. This is important when manufacturer's specifications require the use of greasy rust preventatives, or when the metal equipment being wrapped, packaged, or shipped contains lubricated parts. EcoShield® Super Barrier Paper and Linerboard can discourage these oils and greases from seeping out of the package and causing packaging

failure or contamination of nearby materials.

The versatility of EcoShield® Super Barrier Paper and Linerboard as a flexible, moisture barrier material allows it to be used for a variety of packaging applications and beyond:

- Protecting moisture sensitive components
- Wrapping oily or greasy parts
- Lining wood pallets or corrugated boxes
- Packaging products
- Keeping work surfaces clean with a disposable cover

EcoShield® Super Barrier Paper and Linerboard is available in custom sizes and as sheets or perforated rolls for the convenience of the user.

Whether moisture threatens from the inside or the outside of a package, EcoShield® Super Barrier Paper and Linerboard is a more environmentally friendly way to protect against damage from moisture, grease, and oil. By coating water based



barrier technology onto biobased material, Cortec® has made a fully recyclable, environmentally acceptable, and competitively performing replacement for polycoated and waxed papers.

To find out more about EcoShield® Super Barrier Paper and Linerboard, please visit:

[https://www.cortecvci.com/Publications/PDS/EcoShield\\_Super\\_Barrier\\_Paper.pdf](https://www.cortecvci.com/Publications/PDS/EcoShield_Super_Barrier_Paper.pdf)

To find out more about Cortec's innovative packaging products, please visit:

<http://www.cortecpackaging.com/>

Need a High-Resolution Photo? Please Visit: [www.cortecadvertising.com](http://www.cortecadvertising.com)

Cortec® Corporation is the global leader in innovative, environmentally responsible VpCI® and MCI® corrosion control technologies for Packaging, Metalworking, Construction, Electronics, Water Treatment, Oil & Gas, and other industries. Our relentless dedication to sustainability, quality, service, and support is unmatched in the industry. Headquartered in St. Paul, Minnesota, Cortec® manufactures over 400 products distributed worldwide. ISO 9001, ISO 14001:2004, & ISO 17025 Certified. Cortec Website: <http://www.cortecvci.com> Phone: 1-800-426-7832 FAX: (651) 429-1122