





HIGH PERFORMANCE VPCI® PACKAGING

CorroLogic® CorrPlug® powered by Nano VpCI®



PRODUCT DESCRIPTION

CorroLogic® CorrPlug® powered by Nano VpCl® is a heavy wall black polyethylene pipe cap containing proprietary Vapor phase Corrosion Inhibitors (VpCl®). CorroLogic® CorrPlug® pipe caps protect pipe threads, pipe ends, and other tubular objects from corrosion, mechanical damage, and contamination during transit, handling, and storage. CorroLogic® CorrPlug® pipe caps are specially designed for easy installation and removal. They offer protection all the way to the last pipe thread.

CorroLogic® CorrPlug® pipe caps are made to order in most standard NPT pipe sizes ranging from 0.25 to 64 inches (0.6 cm to 1.6 m) in diameter. For protection along the full interior pipe length, CorroLogic® CorrPlug® pipe caps should be used in combination with other VpCl® products such as CorroLogic® Tube Strips powered by Nano VpCl®, VpCl®-337, or VpCl® powders.

FEATURES

- Multi-metal corrosion protection
- · Available in a variety of sizes to fit any standard pipe diameter
- Tough, durable, and easy to apply

BENEFITS

• Protects against corrosion and mechanical damage

APPLICATION

Install CorroLogic® CorrPlug® pipe caps onto pipe ends by sliding or "screwing" the appropriate sized CorroLogic® CorrPlug® over the threads. Standard plastic or metal banding should be used to secure CorrPlug® to ensure protection.

METALS PROTECTED

- Carbon Steel
- Stainless Steel
- Copper
- Brass
- Aluminum

PACKAGING AND STORAGE

CorroLogic® CorrPlug® pipe caps are available in custom sizes from 0.25 to 64 inches (0.6 cm to 1.6 m) in diameter. Please contact Cortec® Customer Service for additional information on specific sizes and minimum order quantities. CorroLogic® CorrPlug® powered by Nano VpCl® should be stored indoors at room temperature sealed in original packaging. Shelf life is up to 2 years.

STANDARD TEST METHODS

Test	Description	Results
NACE Standard TM0208-2008	Vapor Inhibitor Ability Test	Pass
ASTM D 1748	Humidity Testing	> 19 hours



FOR INDUSTRIAL USE ONLY **KEEP OUT OF REACH OF CHILDREN KEEP CONTAINER TIGHTLY CLOSED NOT FOR INTERNAL CONSUMPTION**

LIMITED WARRANTY

All statements, technical information and recommendations contained herein are based on tests Cortec® Corporation believes to be reliable, but the accuracy or completeness thereof is not guaranteed.

Cortec® Corporation warrants Cortec® products will be free from defects when shipped to customer. Cortec® Corporation's obligation under this warranty shall be limited to replacement of product that proves to be defective. To obtain replacement product under this warranty, the customer must notify Cortec® Corporation of the claimed defect within six months after shipment of product to customer. All freight charges for replacement products shall be paid by customer.

Cortec® Corporation shall have no liability for any injury, loss or damage arising out of the use of or the inability to

use the products.

BEFORE USING, USER SHALL DETERMINE THE SUITABILITY OF THE PRODUCT FOR ITS INTENDED USE,

AND USER ASSUMES ALL RISK AND LIABILITY WHATSOEVER IN CONNECTION THEREWITH. No representation or recommendation not contained herein shall have any force or effect unless in a written document signed by an

THE FOREGOING WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED OR STATUTORY, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE. IN NO CASE SHALL CORTEC® CORPORATION BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES.



4119 White Bear Parkway, St. Paul, MN 55110 USA Phone (651) 429-1100, Fax (651) 429-1122 Toll Free (800) 4-CORTEC, E-mail info@cortecvci.com https://www.cortecvci.com

Printed on recycled paper 100% post consumer



Distributed by: